

TECHNICAL INFORMATION

WESTCO DOTG

Seldom used alone, commonly used with thiazoles, thiurams, dithiocarbamates and sulfenamides to promote its activity. Slightly more active than DPG. Unsuitable for food-related products or medical products.

SPECIFICATIONS

Appearance	light grayish-white-powder
*Initial Melt Point	166.0°C min
*Moisture, %	0.40 max
*Ash, %	0.30 max
*Residue on 100 Mesh, %	.1 max
*Oil, %	1-2

***Actual data will be reported on Certificate of Analysis**

5/08 R